

Solvent Name	Manufacturer	Boiling Point (°F) sea-level	Liquid Temperature Controller LTC (°F)	Heater Temperature Controller HTC (°F)	Safety Vapor Controller SVC (°F)	Vapor Up Temperature VU (°F)	Primary Coil Refrigeration Temperature RT (°F)	Free Board Coil Refrigeration Temperature (°F)
FORMULA =>		BP	BP + 5	BP + 10	BP – 10	BP – 10	40 to 45	-20 to -10
AeroTron	Reliance Specialty Products	109	114	119	99	99	40 to 45	-20 to -10
AeroTron AV	Reliance Specialty Products	116	121	126	106	106	40 to 45	-20 to -10
AeroTron 100	Reliance Specialty Products	116	121	126	106	106	40 to 45	-20 to -10
EnSolv	Envirotech International	160	165	170	150	150	40 to 45	-20 to -10
EnSolv A	Envirotech International	156	161	166	146	146	40 to 45	-20 to -10
EnSolv NEXT	Envirotech International	104	109	114	94	94	40 to 45	-20 to -10
NEXT	Envirotech International	94	99	104	84	84	40 to 45	-20 to -10
NEXT 5408 / 3000	Envirotech International	94	99	104	84	84	40 to 45	-20 to -10
ENTRON	Reliance Specialty Products	159	164	169	149	149	40 to 45	-20 to -10
ENTRON CE	Reliance Specialty Products	154	159	164	144	144	40 to 45	-20 to -10
FluoSolv AP	NuGenTec	109	114	119	99	99	40 to 45	-20 to -10
FluoSolv CAS	NuGenTec	135	140	145	125	125	40 to 45	-20 to -10
FluoSolv CX	NuGenTec	108	113	118	98	98	40 to 45	-20 to -10
FluoSolv CX-500	NugenTec	102	107	112	92	92	40 to 45	-20 to -10
FluoSolv DX	NugenTec	106	111	116	96	96	40 to 45	-20 to -10
FluoSolv FR-110	NuGenTec	115	120	125	105	105	40 to 45	-20 to -10
FluoSolv NC786	NugenTec	102	107	112	92	92	40 to 45	-20 to -10
FluoSolv TEN-X	NuGenTec	100	105	110	90	90	40 to 45	-20 to -10
MX2501	Kyzen	111	116	121	101	101	40 to 45	-20 to -10
Novec 72DE	3M	111	116	121	101	101	40 to 45	-20 to -10
Novec 73DE	3M	118	123	128	108	108	40 to 45	-20 to -10
Opteon SF79	Chemours	116	121	126	106	106	40 to 45	-20 to -10
Tergo MCF	MicroCare	117	122	127	107	107	40 to 45	-20 to -10
Vapor Solv	Brulin	94	99	104	84	84	40 to 45	-20 to -10
Vertrel SDG	Chemours	109	114	119	99	99	40 to 45	-20 to -10
NPB	Various	160	165	170	150	150	40 to 45	-20 to -10
PERC	Various	224	229	234	214	214	40 to 45	-20 to -10
TCE	Various	188	193	198	178	178	40 to 45	-20 to -10
trans DichloroEthylene	Various	118	n/a	n/a	n/a	n/a	n/a	n/a